

## UTILITY LEGEND

---	PROPERTY LINE
SD	EXISTING STORM DRAIN LINE
W	EXISTING WATER LINE
SS	EXISTING SANITARY LINE
E	EXISTING ELECTRIC LINE
W	PROPOSED WATER LINE
SS	PROPOSED SANITARY LINE
E	PROPOSED ELECTRIC LINE
SD	PROPOSED STORM DRAIN LINE
T	PROPOSED TELECOMMUNICATION LINE (FIBER OPTIC CABLE)

### SEWER

- (S1) BUILDING POINT OF CONNECTION (5-FT FROM BUILDING FACE). REFER TO MEP PLANS FOR CONTINUATION.
- (S2) INSTALL 4" SDR-PVC SEWER LATERAL.
- (S3) INSTALL 4" SDR-PVC 90° BEND WITH SANITARY SEWER CLEANOUT.
- (S4) PROPOSED SANITARY SEWER MANHOLE.

### STORM DRAIN

- (D1) PROPOSED 8" STORM DRAIN PIPE.
- (D2) PROPOSED CONNECTION FOR CANOPY ROOF DRAINAGE.
- (D3) PROPOSED ROOF DRAIN CONNECTION.
- (D4) PROPOSED GRATE INLET CATCH BASIN.
- (D5) PROPOSED OIL WATER SEPARATOR
- (D6) POINT OF CONNECTION FOR STORM DRAIN.



### DOMESTIC WATER

- (W1) 1.5" BUILDING POINT OF CONNECTION (5-FT FROM BUILDING FACE). REFER TO PLUMBING PLANS FOR CONTINUATION.
- (W2) INSTALL 1.5" SCHEDULE 40 DOMESTIC WATER PIPE.
- (W3) INSTALL 1.5" SCHEDULE 40 90° BEND.
- (W4) POINT OF CONNECTION FOR WATER LINE.
- (W5) PROPOSED 2.0" WATER METER. COORDINATE INSTALL WITH LOCAL PURVEYOR.
- (W6) PROPOSED 2.0" BACKFLOW PREVENTER. GENERAL CONTRACTOR SHALL RECEIVE BACKFLOW APPROVAL FROM WATER PURVEYOR PRIOR TO ORDERING BACKFLOW.

### OTHER UTILITY NOTES

- (O1) PROPOSED UTILITY CROSSING.
- (O2) PROPOSED AIR/WATER PEDESTAL.
- (O3) 1" CONDUIT TO AIR/WATER PEDESTAL.
- (O4) PROPOSED TRANSFORMER.
- (O5) PROPOSED CONDUIT FOR 400 AMP ELECTRIC SERVICE. REFER TO UTILITY COMPANY PLAN/REQUIREMENTS FOR MORE INFORMATION.
- (O6) PROPOSED ELECTRIC CONDUIT TIE INTO EXISTING SERVICE.
- (O7) PROPOSED FIBER OPTIC CONDUIT 3" DIRECTIONAL BORE OR APPROVED EQUAL WITH PULL BOXES EVERY 300' TO EXISTING WALMART SUPERCENTER FROM KIOSK.

**WALMART FUEL STATION - STORE #1915**  
**58501 TWENTY NINE PALMS HWY, YUCCA VALLEY, CA 92284**  
**DESIGN CIVIL UTILITY PLAN**



SCALE: 1" = 20'  
WHEN PRINTED AT FULL  
SIZE 24"X36"

**Kimley»Horn**

© 2024 KIMLEY-HORN AND ASSOCIATES, INC.  
1100 W TOWN AND COUNTRY RD, SUITE 700, ORANGE, CA 92868  
PHONE: 714-939-1030 FAX: 714-938-9488